




Antriebsbatterien 24 V nach DIN 43535


			DIN A			DIN B			DIN C				
Batterietyp	Kap. Ah/ 5h	Länge a in mm	Breite b in mm	Gew. +/- 5% kg	Länge a in mm	Breite b in mm	Gew. +/- 5% kg	Länge a in mm	Breite b in mm	Gew. +/- 5% kg	Höhe 1	Höhe 2	
											h1 in mm	h2 in mm	
24 V	2 EPzS	120	830	165	138	624	212	129	306	424	124	387	402
24 V	3 EPzS	180	830	219	177	624	284	180	414	424	178	387	402
24 V	4 EPzS	240	830	273	224	624	356	218	522	424	225	387	402
24 V	5 EPzS	300	830	327	274	624	428	272	630	424	275	387	402
24 V	6 EPzS	360	830	381	315	624	500	320	744	424	325	387	402
24 V	7 EPzS	420	830	435	338	624	572	362	852	424	360	387	402
24 V	8 EPzS	480	830	489	437	624	644	401	960	424	430	387	402
24 V	9 EPzS	540	830	546	463	624	716	462	1068	424	468	387	402
24 V	10 EPzS	600	830	600	554	624	788	530	1176	424	535	387	402
24 V	2 EPzS	160	830	165	157	624	212	150	306	424	148	447	462
24 V	3 EPzS	240	830	219	211	624	284	204	414	424	202	447	462
24 V	4 EPzS	320	830	273	264	624	356	258	522	424	256	447	462
24 V	5 EPzS	400	830	327	321	624	428	313	630	424	315	447	462
24 V	6 EPzS	480	830	381	374	624	500	366	744	424	273	447	462
24 V	7 EPzS	560	830	435	431	624	572	441	852	424	435	447	462
24 V	8 EPzS	640	830	489	487	624	644	479	960	424	486	447	462
24 V	9 EPzS	720	830	546	541	624	716	550	1068	424	559	447	462
24 V	10 EPzS	800	830	600	602	624	788	604	1176	424	615	447	462
24 V	2 EPzS	180	830	165	189	624	212	178	306	424	175	522	537
24 V	3 EPzS	270	830	219	251	624	284	239	414	424	240	522	537
24 V	4 EPzS	360	830	273	312	624	356	304	522	424	304	522	537
24 V	5 EPzS	450	830	327	371	624	428	361	630	424	363	522	537
24 V	6 EPzS	540	830	381	433	624	500	427	744	424	432	522	537
24 V	7 EPzS	630	830	435	497	624	572	488	852	424	498	522	537
24 V	8 EPzS	720	830	489	558	624	644	549	960	424	558	522	537
24 V	9 EPzS	810	830	546	651	624	716	648	1068	424	647	522	537
24 V	10 EPzS	900	830	600	680	624	788	690	1176	424	692	522	537
24 V	2 EPzS	210	830	165	215	624	212	204	306	424	202	612	627
24 V	3 EPzS	315	830	219	286	624	284	275	414	424	273	612	627
24 V	4 EPzS	420	830	273	354	624	356	344	522	424	342	612	627
24 V	5 EPzS	525	830	327	435	624	428	415	630	424	415	612	627
24 V	6 EPzS	630	830	381	495	624	500	483	744	424	493	612	627
24 V	7 EPzS	735	830	435	565	624	572	555	852	424	565	612	627
24 V	8 EPzS	840	830	489	641	624	644	640	960	424	643	612	627
24 V	9 EPzS	945	830	546	712	624	716	721	1068	424	722	612	627
24 V	10 EPzS	1050	830	600	780	624	788	785	1176	424	770	612	627
24 V	2 EPzS	230	830	165	222	624	212	210	306	424	208	612	627
24 V	3 EPzS	345	830	219	298	624	284	287	414	424	285	612	627
24 V	4 EPzS	460	830	273	372	624	356	362	522	424	361	612	627
24 V	5 EPzS	575	830	327	445	624	428	434	630	424	435	612	627
24 V	6 EPzS	690	830	381	524	624	500	513	744	424	523	612	627
24 V	7 EPzS	805	830	435	600	624	572	589	852	424	600	612	627
24 V	8 EPzS	920	830	489	676	624	644	664	960	424	678	612	627
24 V	9 EPzS	1035	830	546	752	624	716	761	1068	424	762	612	627
24 V	10 EPzS	1150	830	600	825	624	788	829	1176	424	815	612	627

Batterietyp	Kap. Ah/ 5h	DIN A			DIN B			DIN C			Höhe 1 h1 in mm	Höhe 2 h2 in mm
		Länge a in mm	Breite b in mm	Gew. +/- 5% kg	Länge a in mm	Breite b in mm	Gew. +/- 5% kg	Länge a in mm	Breite b in mm	Gew. +/- 5% kg		
24 V 2 EPzS 250	250	830	165	224	624	212	218	306	424	216	612	627
24 V 3 EPzS 375	375	830	219	300	624	284	294	414	424	296	612	627
24 V 4 EPzS 500	500	830	273	375	624	356	366	522	424	368	612	627
24 V 5 EPzS 625	625	830	327	449	624	428	444	630	424	448	612	627
24 V 6 EPzS 750	750	830	381	528	624	500	533	744	424	540	612	627
24 V 7 EPzS 875	875	830	435	605	624	572	613	852	424	625	612	627
24 V 8 EPzS 1000	1000	830	489	682	624	644	692	960	424	706	612	627
24 V 9 EPzS 1125	1125	830	546	758	624	716	798	1068	424	798	612	627
24 V 10 EPzS 1250	1250	830	600	832	624	788	876	1176	424	878	612	627
24 V 2 EPzS 280	280	835	165	309	628	216	280	310	428	290	769	784
24 V 3 EPzS 420	420	835	219	402	628	288	385	418	428	380	769	784
24 V 4 EPzS 560	560	835	273	502	628	360	481	526	428	479	769	784
24 V 5 EPzS 700	700	835	327	591	628	432	575	634	428	575	769	784
24 V 6 EPzS 840	840	835	381	687	628	504	669	784	428	660	769	784
24 V 7 EPzS 980	980	835	435	786	628	576	768	858	428	770	769	784
24 V 8 EPzS 1120	1120	835	489	883	628	648	863	965	428	878	769	784
24 V 9 EPzS 1260	1260	835	546	972	628	720	954	1074	428	962	769	784
24 V 10 EPzS 1400	1400	835	600	1072	628	793	1052	1182	428	1066	769	784
24 V 2 EPzS 310	310	835	165	316	628	216	289	310	428	312	769	784
24 V 3 EPzS 465	465	835	219	416	628	288	397	418	428	396	769	784
24 V 4 EPzS 620	620	835	273	518	628	360	497	526	428	519	769	784
24 V 5 EPzS 775	775	835	327	611	628	432	603	634	428	595	769	784
24 V 6 EPzS 930	930	835	381	702	628	504	675	784	428	688	769	784
24 V 7 EPzS 1085	1085	835	435	812	628	576	782	858	428	792	769	784
24 V 8 EPzS 1240	1240	835	489	925	628	648	884	965	428	896	769	784
24 V 9 EPzS 1395	1395	835	546	1006	628	720	976	1074	428	983	769	784
24 V 10 EPzS 1550	1550	835	600	1120	628	793	1079	1182	428	1085	769	784


Schaltung 24 Volt DIN A



Schaltung 24 Volt DIN B




Schaltung 24 Volt DIN C




			DIN A			DIN B			DIN C				
Batterietyp	Kap. Ah/ 5h	Länge a in mm	Breite b in mm	Gew. +/- 5% kg	Länge a in mm	Breite b in mm	Gew. +/- 5% kg	Länge a in mm	Breite b in mm	Gew. +/- 5% kg	Höhe 1	Höhe 2	
											h1 in mm	h2 in mm	
48 V	2 EPzS	120	830	306	238	1030	259	245	1223	211	240	387	402
48 V	3 EPzS	180	830	414	315	1030	349	330	1223	283	334	387	402
48 V	4 EPzS	240	830	522	397	1030	539	411	1223	355	410	387	402
48 V	5 EPzS	300	830	630	500	1030	529	517	1223	427	515	387	402
48 V	6 EPzS	360	830	738	592	1030	619	606	1223	499	603	387	402
48 V	7 EPzS	420	830	846	682	1030	709	703	1223	571	698	387	402
48 V	8 EPzS	480	830	954	756	1030	799	772	1223	643	764	387	402
48 V	9 EPzS	540	830	1062	915	1030	889	886	1223	715	905	387	402
48 V	10 EPzS	600	830	1170	1012	1030	979	987	1223	787	1000	387	402
48 V	2 EPzS	160	830	306	287	1030	259	291	1223	211	289	447	462
48 V	3 EPzS	240	830	414	394	1030	349	394	1223	283	394	447	462
48 V	4 EPzS	320	830	522	500	1030	539	504	1223	355	504	447	462
48 V	5 EPzS	400	830	630	615	1030	529	617	1223	427	617	447	462
48 V	6 EPzS	480	830	738	720	1030	619	722	1223	499	724	447	462
48 V	7 EPzS	560	830	846	834	1030	709	835	1223	571	835	447	462
48 V	8 EPzS	640	830	954	946	1030	799	945	1223	643	946	447	462
48 V	9 EPzS	720	830	1062	1098	1030	889	1056	1223	715	1070	447	462
48 V	10 EPzS	800	830	1170	1215	1030	979	1169	1223	787	1185	447	462
48 V	2 EPzS	180	830	306	352	1030	259	345	1223	211	348	522	537
48 V	3 EPzS	270	830	414	489	1030	349	473	1223	283	479	522	537
48 V	4 EPzS	360	830	522	593	1030	539	594	1223	355	594	522	537
48 V	5 EPzS	450	830	630	712	1030	529	714	1223	427	714	522	537
48 V	6 EPzS	540	830	738	835	1030	619	836	1223	499	836	522	537
48 V	7 EPzS	630	830	846	963	1030	709	965	1223	571	965	522	537
48 V	8 EPzS	720	830	954	1084	1030	799	1083	1223	643	1083	522	537
48 V	9 EPzS	810	830	1062	1199	1030	889	1204	1223	715	1200	522	537
48 V	10 EPzS	900	830	1170	1375	1030	979	1345	1223	787	1354	522	537
48 V	2 EPzS	210	830	306	438	1030	259	411	1223	211	415	612	627
48 V	3 EPzS	315	830	414	527	1030	349	531	1223	283	536	612	627
48 V	4 EPzS	420	830	522	678	1030	539	680	1223	355	683	612	627
48 V	5 EPzS	525	830	630	811	1030	529	811	1223	427	817	612	627
48 V	6 EPzS	630	830	738	953	1030	619	952	1223	499	956	612	627
48 V	7 EPzS	735	830	846	1090	1030	709	1087	1223	571	1094	612	627
48 V	8 EPzS	840	830	954	1245	1030	799	1243	1223	643	1247	612	627
48 V	9 EPzS	945	830	1062	1435	1030	889	1351	1223	715	1395	612	627
48 V	10 EPzS	1050	830	1170	1580	1030	979	1540	1223	787	1545	612	627
48 V	2 EPzS	230	830	306	453	1030	259	426	1223	211	430	612	627
48 V	3 EPzS	345	830	414	560	1030	349	564	1223	283	567	612	627
48 V	4 EPzS	460	830	522	708	1030	539	710	1223	355	713	612	627
48 V	5 EPzS	575	830	630	856	1030	529	856	1223	427	863	612	627
48 V	6 EPzS	690	830	738	1013	1030	619	1012	1223	499	1016	612	627
48 V	7 EPzS	805	830	846	1162	1030	709	1159	1223	571	1168	612	627
48 V	8 EPzS	920	830	954	1315	1030	799	1312	1223	643	1316	612	627
48 V	9 EPzS	1035	830	1062	1515	1030	889	1471	1223	715	1475	612	627
48 V	10 EPzS	1150	830	1170	1670	1030	979	1630	1223	787	1635	612	627

Batterietyp	DIN A			DIN B			DIN C			Höhe 1 h1	Höhe 2 h2	
	Kap.	Länge	Breite	Gew.	Länge	Breite	Gew.	Länge	Breite			Gew.
	Ah/ 5h	a	b	+/- 5%	a	b	+/- 5%	a	b			+/- 5%
	in mm	in mm	kg	in mm	in mm	kg	in mm	in mm	kg	in mm	in mm	
48 V 2 EPzS 250	250	830	306	457	1030	259	438	1223	211	442	612	627
48 V 3 EPzS 375	375	830	414	565	1030	349	589	1223	283	590	612	627
48 V 4 EPzS 500	500	830	522	714	1030	539	745	1223	355	748	612	627
48 V 5 EPzS 625	625	830	630	863	1030	529	896	1223	427	900	612	627
48 V 6 EPzS 750	750	830	738	1022	1030	619	1056	1223	499	1058	612	627
48 V 7 EPzS 875	875	830	846	1172	1030	709	1210	1223	571	1218	612	627
48 V 8 EPzS 1000	1000	830	954	1326	1030	799	1379	1223	643	1380	612	627
48 V 9 EPzS 1125	1125	830	1062	1540	1030	889	1499	1223	715	1515	612	627
48 V 10 EPzS 1250	1250	830	1170	1701	1030	979	1690	1223	787	1695	612	627
48 V 2 EPzS 280	280	835	310	534	1035	263	532	1223	211	561	769	784
48 V 3 EPzS 420	420	835	418	739	1035	353	746	1223	283	750	769	784
48 V 4 EPzS 560	560	835	526	933	1035	443	937	1223	355	937	769	784
48 V 5 EPzS 700	700	835	634	1118	1035	533	1119	1223	427	1119	769	784
48 V 6 EPzS 840	840	835	742	1309	1035	623	1309	1223	499	1305	769	784
48 V 7 EPzS 980	980	835	850	1500	1035	713	1478	1223	571	1498	769	784
48 V 8 EPzS 1120	1120	835	958	1696	1035	803	1696	1223	643	1688	769	784
48 V 9 EPzS 1260	1260	835	955	1870	1035	893	1869	1223	715	1850	769	784
48 V 10 EPzS 1400	1400	835	1174	1980	1035	983	2040	1223	787	2030	769	784
48 V 2 EPzS 310	310	835	310	555	1035	263	566	1223	211	595	769	784
48 V 3 EPzS 465	465	835	418	764	1035	353	772	1223	283	780	769	784
48 V 4 EPzS 620	620	835	526	964	1035	443	968	1223	355	964	769	784
48 V 5 EPzS 775	775	835	634	1157	1035	533	1168	1223	427	1168	769	784
48 V 6 EPzS 930	930	835	742	1354	1035	623	1354	1223	499	1350	769	784
48 V 7 EPzS 1085	1085	835	850	1544	1035	713	1542	1223	571	1562	769	784
48 V 8 EPzS 1240	1240	835	958	1746	1035	803	1746	1223	643	1726	769	784
48 V 9 EPzS 1395	1395	835	955	1955	1035	893	1960	1223	715	1941	769	784
48 V 10 EPzS 1550	1550	835	1174	2090	1035	983	2153	1223	787	2140	769	784




Schaltung 48 Volt DIN A



Schaltung 48 Volt DIN B



Schaltung 48 Volt DIN C







Antriebsbatterien 80 V nach DIN 43536



			DIN A			DIN B				
Batterietyp	Kap.	Länge	Breite	Gew.	Länge	Breite	Gew.	Höhe 1	Höhe 2	
	Ah/ 5h	a	b	+/- 5% kg	a	b	+/- 5% kg	h1	h 2	
		in mm	in mm		in mm	in mm		in mm	in mm	
80 V	2 EPzS 120	120	1026	420 430	844	516 430		387	402	
80 V	3 EPzS 180	180	1026	564 580	844	696 580		387	402	
80 V	4 EPzS 240	240	1026	708 729	844	876 728		387	402	
80 V	5 EPzS 300	300	1026	852 871	844	1064 870		387	402	
80 V	6 EPzS 360	360	1026	996 1040	844	1244 1035		387	402	
80 V	7 EPzS 420	420	1034	1140 1180	844	1424 1185		387	402	
80 V	8 EPzS 480	480	1034	1284 1320	844	1604 1330		387	402	
80 V	9 EPzS 540	540	1034	1430 1480	844	1784 1488		387	402	
80 V	10 EPzS 600	600	1034	1582 1630	844	1964 1641		387	402	
80 V	2 EPzS 160	160	1026	420 493	844	516 492		447	462	
80 V	3 EPzS 240	240	1026	564 679	844	696 677		447	462	
80 V	4 EPzS 320	320	1026	708 856	844	876 860		447	462	
80 V	5 EPzS 400	400	1026	852 1050	844	1064 1055		447	462	
80 V	6 EPzS 480	480	1026	996 1226	844	1244 1220		447	462	
80 V	7 EPzS 560	560	1034	1140 1417	844	1424 1412		447	462	
80 V	8 EPzS 640	640	1034	1284 1609	844	1604 1590		447	462	
80 V	9 EPzS 720	720	1034	1430 1758	844	1784 1765		447	462	
80 V	10 EPzS 800	800	1034	1582 1950	844	1964 1955		447	462	
80 V	2 EPzS 180	180	1026	420 579	844	516 584		522	537	
80 V	3 EPzS 270	270	1026	564 807	844	696 806		522	537	
80 V	4 EPzS 360	360	1026	708 1015	844	876 1013		522	537	
80 V	5 EPzS 450	450	1026	852 1210	844	1064 1215		522	537	
80 V	6 EPzS 540	540	1026	996 1424	844	1244 1398		522	537	
80 V	7 EPzS 630	630	1034	1140 1640	844	1424 1614		522	537	
80 V	8 EPzS 720	720	1034	1284 1839	844	1604 1815		522	537	
80 V	9 EPzS 810	810	1034	1430 2004	844	1784 2031		522	537	
80 V	10 EPzS 900	900	1034	1582 2220	844	1964 2229		522	537	
80 V	2 EPzS 210	210	1026	420 670	844	516 662		612	627	
80 V	3 EPzS 315	315	1026	564 917	844	696 917		612	627	
80 V	4 EPzS 420	420	1026	708 1140	844	876 1138		612	627	
80 V	5 EPzS 525	525	1026	852 1390	844	1064 1390		612	627	
80 V	6 EPzS 630	630	1026	996 1621	844	1244 1615		612	627	
80 V	7 EPzS 735	735	1034	1140 1860	844	1424 1855		612	627	
80 V	8 EPzS 840	840	1034	1284 2118	844	1604 2115		612	627	
80 V	9 EPzS 945	945	1034	1430 2340	844	1784 2345		612	627	
80 V	10 EPzS 1050	1050	1034	1582 2548	844	1964 2567		612	627	
80 V	2 EPzS 230	230	1026	420 698	844	516 689		612	627	
80 V	3 EPzS 345	345	1026	564 965	844	696 965		612	627	
80 V	4 EPzS 460	460	1026	708 1210	844	876 1208		612	627	
80 V	5 EPzS 575	575	1026	852 1460	844	1064 1460		612	627	
80 V	6 EPzS 690	690	1026	996 1721	844	1244 1715		612	627	
80 V	7 EPzS 805	805	1034	1140 1968	844	1424 1963		612	627	
80 V	8 EPzS 920	920	1034	1284 2228	844	1604 2225		612	627	
80 V	9 EPzS 1035	1035	1034	1430 2470	844	1784 2475		612	627	
80 V	10 EPzS 1150	1150	1034	1582 2698	844	1964 2716		612	627	

		DIN A					DIN B				
Batterietyp	Kap. Ah/ 5h	Länge	Breite	Gew. +/- 5% kg	Länge	Breite	Gew. +/- 5% kg	Höhe 1	Höhe 2		
		a in mm	b in mm		a in mm	b in mm		h1 in mm	h2 in mm		
80 V	2 EPzS 250	250	1026	420	732	844	516	730	612	627	
80 V	3 EPzS 375	375	1026	564	983	844	696	980	612	627	
80 V	4 EPzS 500	500	1026	708	1240	844	876	1234	612	627	
80 V	5 EPzS 625	625	1026	852	1498	844	1064	1490	612	627	
80 V	6 EPzS 750	750	1026	996	1765	844	1244	1756	612	627	
80 V	7 EPzS 875	875	1034	1140	2005	844	1424	2010	612	627	
80 V	8 EPzS 1000	1000	1034	1284	2285	844	1604	2290	612	627	
80 V	9 EPzS 1125	1125	1034	1430	2550	844	1784	2546	612	627	
80 V	10 EPzS 1250	1250	1034	1582	2760	844	1964	2763	612	627	
80 V	2 EPzS 280	280	1028	423	892	844	516	892	769	784	
80 V	3 EPzS 420	420	1028	567	1238	844	696	1215	769	784	
80 V	4 EPzS 560	560	1028	711	1558	844	876	1530	769	784	
80 V	5 EPzS 700	700	1028	855	1863	844	1064	1854	769	784	
80 V	6 EPzS 840	840	1028	990	2178	844	1244	2165	769	784	
80 V	7 EPzS 980	980	1037	1143	2505	844	1424	2498	769	784	
80 V	8 EPzS 1120	1120	1037	1287	2800	844	1604	2810	769	784	
80 V	9 EPzS 1260	1260	1037	1433	3040	844	1784	3060	769	784	
80 V	10 EPzS 1400	1400	1037	1585	3400	844	1964	3435	769	784	
80 V	2 EPzS 310	310	1028	423	972	844	516	960	769	784	
80 V	3 EPzS 465	465	1028	567	1290	844	696	1281	769	784	
80 V	4 EPzS 620	620	1028	711	1609	844	876	1580	769	784	
80 V	5 EPzS 775	775	1028	855	1945	844	1064	1948	769	784	
80 V	6 EPzS 930	930	1028	990	2290	844	1244	2277	769	784	
80 V	7 EPzS 1085	1085	1037	1143	2615	844	1424	2603	769	784	
80 V	8 EPzS 1240	1240	1037	1287	2880	844	1604	2870	769	784	
80 V	9 EPzS 1395	1395	1037	1433	3290	844	1784	3310	769	784	
80 V	10 EPzS 1550	1550	1037	1585	3610	844	1964	3645	769	784	

Schaltung 80 Volt DIN A



Schaltung 80 Volt DIN B



Zellentyp	Kap. Ah/ 5h	Länge L in mm	Breite b in mm	Höhe 1 h1 in mm	Höhe 2 h 2 in mm	Gew. +/- 5% kg
2 EPzS 120	120	47	198	334	365	8,4
3 EPzS 180	180	65	198	334	365	11,8
4 EPzS 240	240	83	198	334	365	15,5
5 EPzS 300	300	101	198	334	365	19,0
6 EPzS 360	360	119	198	334	365	22,5
7 EPzS 420	420	137	198	334	365	26,1
8 EPzS 480	480	155	198	334	365	29,8
9 EPzS 540	540	173	198	334	365	33,1
10 EPzS 600	600	192	198	334	365	36,8
2 EPzS 160	160	47	198	397	428	9,8
3 EPzS 240	240	65	198	397	428	13,3
4 EPzS 320	320	83	198	397	428	17,6
5 EPzS 400	400	101	198	397	428	21,4
6 EPzS 480	480	119	198	397	428	25,2
7 EPzS 560	560	137	198	397	428	29,1
8 EPzS 640	640	155	198	397	428	32,9
9 EPzS 720	720	173	198	397	428	37,0
10 EPzS 800	800	192	198	397	428	40,2
2 EPzS 180	180	47	198	464	495	12,0
3 EPzS 270	270	65	198	464	495	16,9
4 EPzS 360	360	83	198	464	495	21,6
5 EPzS 450	450	101	198	464	495	26,3
6 EPzS 540	540	119	198	464	495	31,1
7 EPzS 630	630	137	198	464	495	36,1
8 EPzS 720	720	155	198	464	495	40,8
9 EPzS 810	810	173	198	464	495	46,0
10 EPzS 900	900	192	198	464	495	50,3
2 EPzS 210	210	47	198	512	544	13,5
3 EPzS 315	315	65	198	512	544	19,0
4 EPzS 420	420	83	198	512	544	24,5
5 EPzS 525	525	101	198	512	544	30,5
6 EPzS 630	630	119	198	512	544	36,1
7 EPzS 735	735	137	198	512	544	41,9
8 EPzS 840	840	155	198	512	544	47,4
9 EPzS 945	945	173	198	512	544	53,0
10 EPzS 1050	1050	192	198	512	544	58,5

Zellentyp	Kap. Ah/ 5h	Länge L in mm	Breite b in mm	Höhe 1 h1 in mm	Höhe 2 h 2 in mm	Gew. +/- 5% kg
2 EPzS 230	230	47	198	543	574	14,3
3 EPzS 345	345	65	198	543	574	20,3
4 EPzS 460	460	83	198	543	574	26,0
5 EPzS 575	575	101	198	543	574	31,8
6 EPzS 690	690	119	198	543	574	37,9
7 EPzS 805	805	137	198	543	574	43,8
8 EPzS 920	920	155	198	543	574	49,8
9 EPzS 1035	1035	173	198	543	574	55,7
10 EPzS 1150	1150	192	198	543	574	61,5
2 EPzS 250	250	47	198	569	600	14,9
3 EPzS 375	375	65	198	569	600	21,0
4 EPzS 500	500	83	198	569	600	26,5
5 EPzS 625	625	101	198	569	600	32,6
6 EPzS 750	750	119	198	569	600	38,5
7 EPzS 875	875	137	198	569	600	44,5
8 EPzS 1000	1000	155	198	569	600	50,6
9 EPzS 1125	1125	173	198	569	600	56,5
10 EPzS 1250	1250	192	198	569	600	62,1
2 EPzS 280	280	47	198	684	715	18,2
3 EPzS 420	420	65	198	684	715	25,4
4 EPzS 560	560	83	198	684	715	32,9
5 EPzS 700	700	101	198	684	715	39,9
6 EPzS 840	840	119	198	684	715	47,2
7 EPzS 980	980	137	198	684	715	54,8
8 EPzS 1120	1120	155	198	684	715	62,3
9 EPzS 1260	1260	173	198	684	715	68,8
10 EPzS 1400	1400	192	198	684	715	76,7
2 EPzS 310	310	47	198	714	745	19,5
3 EPzS 465	465	65	198	714	745	26,9
4 EPzS 620	620	83	198	714	745	34,0
5 EPzS 775	775	101	198	714	745	42,1
6 EPzS 930	930	119	198	714	745	48,3
7 EPzS 1085	1085	137	198	714	745	56,6
8 EPzS 1240	1240	155	198	714	745	63,0
9 EPzS 1395	1395	173	198	714	745	73,0
10 EPzS 1550	1550	192	198	714	745	80,4

Zellentyp	Kap. Ah/ 5h	Länge L in mm	Breite b in mm	Höhe 1 h1 in mm	Höhe 2 h 2 in mm	Gew. +/- 5% kg
2 EPzB	64	64	45	160	290	4,6
3 EPzB	96	96	61	160	290	6,4
4 EPzB	128	128	77	160	290	8,3
5 EPzB	160	160	93	160	290	10,1
6 EPzB	192	192	109	160	290	12,0
7 EPzB	224	224	125	160	290	13,8
8 EPzB	256	256	141	160	290	15,7
9 EPzB	288	288	157	160	290	17,5
10 EPzB	320	320	173	160	290	19,6
11 EPzB	352	352	189	160	290	21,5
12 EPzB	384	384	206	160	290	23,2

2 EPzB	84	84	45	160	325	5,9
3 EPzB	126	126	61	160	325	8,3
4 EPzB	168	168	77	160	325	10,8
5 EPzB	210	210	93	160	325	13,1
6 EPzB	252	252	109	160	325	15,5
7 EPzB	294	294	125	160	325	17,9
8 EPzB	336	336	141	160	325	20,5
9 EPzB	378	378	157	160	325	22,8
10 EPzB	420	420	173	160	325	25,4
11 EPzB	462	462	189	160	325	27,8
12 EPzB	504	504	206	160	325	30,2

2 EPzB	110	110	45	160	400	8,4
3 EPzB	165	165	61	160	400	11,5
4 EPzB	220	220	77	160	400	14,6
5 EPzB	275	275	93	160	400	17,8
6 EPzB	330	330	109	160	400	20,9
7 EPzB	385	385	125	160	400	24,0
8 EPzB	440	440	141	160	400	27,2
9 EPzB	495	495	157	160	400	30,3
10 EPzB	550	550	173	160	400	33,3
11 EPzB	605	605	189	160	400	36,4
12 EPzB	660	660	206	160	400	38,4

2 EPzB	130	130	45	160	453	8,5
3 EPzB	195	195	61	160	453	12,5
4 EPzB	260	260	77	160	453	15,5
5 EPzB	325	325	93	160	453	19,0
6 EPzB	390	390	109	160	453	22,4
7 EPzB	455	455	125	160	453	25,9
8 EPzB	520	520	141	160	453	29,5
9 EPzB	585	585	157	160	453	33,0
10 EPzB	650	650	173	160	453	36,6
11 EPzB	715	715	189	160	453	40,0
12 EPzB	780	780	206	160	453	43,5

Zellentyp	Kap. Ah/ 5h	Länge L in mm	Breite b in mm	Höhe 1 h1 in mm	Höhe 2 h 2 in mm	Gew. +/- 5% kg
2 EBzB	150	150	45	160	514	10,2
3 EBzB	225	225	61	160	514	14,2
4 EBzB	300	300	77	160	514	18,3
5 EBzB	375	375	93	160	514	22,3
6 EBzB	450	450	109	160	514	26,4
7 EBzB	525	525	125	160	514	30,4
8 EBzB	600	600	141	160	514	34,5
9 EBzB	675	675	157	160	514	38,5
10 EBzB	750	750	173	160	514	42,6
11 EBzB	825	825	189	160	514	46,6
12 EBzB	900	900	206	160	514	50,0

2 EBzB	172	172	45	160	567	11,2
3 EBzB	258	258	61	160	567	15,8
4 EBzB	344	344	77	160	567	20,5
5 EBzB	430	430	93	160	567	25,0
6 EBzB	516	516	109	160	567	29,6
7 EBzB	602	602	125	160	567	34,2
8 EBzB	688	688	141	160	567	38,9
9 EBzB	774	774	157	160	567	43,6
10 EBzB	860	860	173	160	567	48,4
11 EBzB	946	946	189	160	567	53,0
12 EBzB	1032	1032	206	160	567	57,6

2 EPzB	200	200	45	160	600	11,7
3 EPzB	300	300	61	160	600	16,2
4 EPzB	400	400	77	160	600	22,6
5 EPzB	500	500	93	160	600	27,5
6 EPzB	600	600	109	160	600	32,4
7 EPzB	700	700	125	160	600	37,3
8 EPzB	800	800	141	160	600	42,2
9 EPzB	900	900	157	160	600	46,8
10 EPzB	1000	1000	173	160	600	51,8
11 EPzB	1100	1100	189	160	600	56,6
12 EPzB	1200	1200	206	160	600	61,0

2 EPzB	216	216	45	160	687	13,6
3 EPzB	324	324	61	160	687	19,2
4 EPzB	432	432	77	160	687	24,8
5 EPzB	540	540	93	160	687	30,4
6 EPzB	648	648	109	160	687	36,0
7 EPzB	756	756	125	160	687	41,5
8 EPzB	864	864	141	160	687	47,5
9 EPzB	972	972	157	160	687	53,0
10 EPzB	1080	1080	173	160	687	58,8
11 EPzB	1188	1188	189	160	687	64,5
12 EPzB	1296	1296	206	160	687	70,0

Zellentyp	Kap. Ah/ 5h	Länge L in mm	Breite b in mm	Höhe 1 h1 in mm	Höhe 2 h 2 in mm	Gew. +/- 5% kg
2 EPzV 110	110	47	198	342	370	9,4
3 EPzV 165	165	65	198	342	370	13,0
4 EPzV 220	220	83	198	342	370	16,8
5 EPzV 275	375	101	198	342	370	20,4
6 EPzV 330	330	119	198	342	370	24,0
7 EPzV 385	385	137	198	342	370	28,5
8 EPzV 440	440	155	198	342	370	32,3
9 EPzV 495	495	173	198	342	370	36,4
10 EPzV 550	550	192	198	342	370	41,0

2 EPzV 140	140	47	198	400	430	11,0
3 EPzV 210	210	65	198	400	430	15,0
4 EPzV 280	280	83	198	400	430	20,1
5 EPzV 350	350	101	198	400	430	24,5
6 EPzV 420	420	119	198	400	430	29,5
7 EPzV 490	490	137	198	400	430	34,5
8 EPzV 560	560	155	198	400	430	39,0
9 EPzV 630	630	173	198	400	430	43,5
10 EPzV 700	700	192	198	400	430	47,7

2 EPzV 160	160	47	198	472	500	12,5
3 EPzV 240	240	65	198	472	500	18,0
4 EPzV 320	320	83	198	472	500	23,5
5 EPzV 400	400	101	198	472	500	28,9
6 EPzV 480	480	119	198	472	500	34,9
7 EPzV 560	560	137	198	472	500	40,0
8 EPzV 640	640	155	198	472	500	45,0
9 EPzV 720	720	173	198	472	500	51,0
10 EPzV 800	800	192	198	472	500	56,2

2 EPzV 200	200	47	198	562	595	15,0
3 EPzV 300	300	65	198	562	595	22,2
4 EPzV 400	400	83	198	562	595	28,5
5 EPzV 500	500	101	198	562	595	35,3
6 EPzV 600	600	119	198	562	595	41,7
7 EPzV 700	700	137	198	562	595	48,5
8 EPzV 800	800	155	198	562	595	56,3
9 EPzV 900	900	173	198	562	595	63,5
10 EPzV 1000	1000	192	198	562	595	72,0

2 EPzV 240	240	47	198	720	750	19,0
3 EPzV 360	360	65	198	720	750	28,0
4 EPzV 480	480	83	198	720	750	36,0
5 EPzV 600	600	101	198	720	750	43,0
6 EPzV 720	720	119	198	720	750	51,0
7 EPzV 840	840	137	198	720	750	60,5
8 EPzV 960	960	155	198	720	750	69,0
9 EPzV 1080	1080	173	198	720	750	75,0
10 EPzV 1200	1200	192	198	720	750	85,0

Zellentyp	Kap. Ah/ 5h	Länge L in mm	Breite b in mm	Höhe 1 h1 in mm	Höhe 2 h 2 in mm	Gew. +/- 5% kg
2 EPzV BS 122	122	46	158	456	484	9,6
3 EPzV BS 183	183	62	158	456	484	13,5
2 EPzV BS 142	142	46	158	516	544	11,0
3 EPzV BS 213	213	62	158	516	544	16,0
2 EPzV BS 170	170	46	158	610	639	13,5
3 EPzV BS 255	255	62	158	610	639	18,0

